

TITLE OF THE INVENTION

CHIP EMBEDDED TRADING CARD, RECORDING AND/OR REPRODUCING APPARATUS THEREFOR, AND MESSAGE BUILDING METHOD

CROSS-REFERENCE TO RELATED APPLICATION

[001] This application is based upon and claims priority of Korean Patent Application No. 00-31837 filed June 9, 2000 in the Korean Industrial Property Office, the contents being incorporated herein by reference.

BACKGROUND OF THE INVENTION

1. Field of the Invention

[002] The present invention relates to a system including a trading card and a recording and/or reproducing apparatus, and more particularly, to a trading card capable of storing subject-related data of a subject shown therein, a recording and/or reproducing apparatus for reproducing data stored in the trading card, or recording the subject-related data in the trading card, and a method which enables communication between the subject in a trading card and its user.

2. Description of the Related Art

[003] Trading cards such as sports cards, music cards, and cartoon cards, illustrate pictures of subjects, such as sports stars, musicians, and cartoon characters and include statistical information, and graphic symbols related to the subject. Also, because trading cards are issued in a limited number a year, the public enjoys collecting the cards.

[004] On most trading cards, still pictures (photos) are printed, but on some trading cards, continuing still pictures are shown using holograms. However, these continuing still pictures have very short life span, and depend on the lighting state.

FOR PAGES 1-5

Still pictures (photos) recorded on the existing trading cards do not have systematic mutual relations, which are a series of still pictures printed on a plurality of playing cards used to show a moving picture when viewed in sequence. For instance, a plurality of cards in a sequence of increasing serial numbers can be used to show a movement such as a shooting basketball. Therefore, even though existing trading cards showing still pictures are arranged, an image of mutual relationship cannot be given.

[005] The existing trading card delivers information unilaterally. That is, the owner of a trading card passively receives information recorded in the trading card, and communication between the user and the subject shown on the trading card cannot be expected. However, if the subject shown in the trading card would be able to call with a greeting, the popularity of the trading card would be raised.

SUMMARY OF THE INVENTION

[006] Various objects and advantages of the invention will be set forth in part in the description which follows and, in part, will be obvious from the description, or may be learned by practice of the invention.

[007] To accomplish the above object of the present invention, there is provided a system, including a trading card with a subject printed thereon; a data storage unit in the trading card storing subject-related data; and a recording and/or reproducing unit recording and/or reproducing subject-related data on/from the data storage unit, wherein the subject-related data includes picture and/or text information related to the subject displayed on the trading card; and a housing unit containing and protecting the data storage unit.

[008] To accomplish another object of the present invention, there is also provided a system, including: a trading card; and a recording and/or reproducing apparatus recording and/or reproducing subject-related data to/from the trading card, wherein the subject-related data includes picture information related to a subject, the recording and/or reproducing apparatus including: a transmission and

FOR OFFICIAL USE ONLY

reception unit transmitting subject-related data to and receiving the subject-related data from the trading card, a memory unit storing the subject-related data provided through the transmission and reception unit, a key controller inputting manipulation commands by a user; a decoder decoding the picture information from the subject-related data stored in the memory and generating a video signal corresponding to the picture information, a display unit displaying the video signal generated by the decoder, and a controller controlling the transmission and reception unit, the decoder, and the display unit according to the manipulation commands.

[009] To accomplish another object of the present invention, there is also provided a method of building a message between a subject displayed on a trading card and a user of the trading card, including: using the trading card to store subject-related data of the subject, wherein the subject-related data includes sound or voice information relating to the subject; receiving user-related information from the user; building the message by implementing the user-related data into the subject-related data; storing the message in the trading card; and outputting the message.

[0010] These together with other objects and advantages which will be subsequently apparent, reside in the details of construction and operation as more fully hereinafter described and claimed, reference being had to the accompanying drawings forming a part hereof, wherein like numerals refer to like parts throughout.

BRIEF DESCRIPTION OF THE DRAWINGS

[0011] The above objects and advantages of the present invention will become more apparent by describing in detail a preferred embodiment thereof with reference to the attached drawings in which:

FIG. 1 illustrates a system including a trading card and a recording and/or reproducing apparatus therefore, in accordance with an exemplary embodiment of the present invention;

FIG. 2 illustrates an external appearance of the trading card;

FIGS. 3A and 3B illustrate an exemplary embodiment of the trading card, in accordance with the present invention;

DETAILED DESCRIPTION OF THE INVENTION

[0012] Hereinafter, embodiments of the present invention will be described in detail with reference to the attached drawings. The present invention is not restricted to the following embodiments, and many variations are possible within the spirit and scope of the present invention. The embodiments of the present invention are provided in order to completely explain the present invention to anyone skilled in the art.

[0013] The present invention provides a trading card including a data storage unit or means has the size, external appearance, and format similar to those of a conventional paper trading card. At the same time, a user can watch, listen, and enjoy image, sound, and text information stored in the data storage unit in the trading card, through a display apparatus or a reproducing apparatus, in accordance with an exemplary embodiment of the present invention.

[0014] Also, compared to a connection-type trading card, which communicates subject-related data through an electrical signal, the present invention provides a connectionless-type trading card that communicates subject-related data through an optical or radio signal, enabling reduction in thickness and weight of the reproducing apparatus and allowing a card to be reproduced in a plurality of reproducing apparatuses.

[0015] Further, if a user's related information or desired messages are input in the data storage unit, which stores image, sound and text information, through a reproducing apparatus, the user may receive messages (i.e., greetings, introduction of contents, etc.) stored in the data storage unit from a subject shown in the trading card or celebrity (i.e., a sports star, film star, cartoon hero, etc.) to make it appear that the user and the subject are communicating.

[0016] The user can also input desired voice or sound information in the data storage unit through software or other input apparatuses so that the voice can be played while watching image and/or text information. The user's related information or desired messages can be input in the trading card of the present invention

through a recording apparatus, software, or other input apparatuses. The reproducing apparatus of the present invention can output reproduced moving pictures in a TV receiver, personal computer, digital versatile disc (DVD), head mount device (HMD), camcorder, monitor, etc. If moving pictures stored in a plurality of trading cards are reproduced continuously, a movie including the moving pictures can be implemented, and the user need not change each trading card, thereby saving time.

[0017] FIG. 1 illustrates a system including a trading card and a recording and/or reproducing apparatus, means, or unit therefore, in accordance with an exemplary embodiment of the present invention. The trading card 100 has photos, statistical information, or personal information printed on its sides as existing trading cards. In addition the trading card 100 may store data (hereinafter referred to as "subject-related data") related to a subject, such as a celebrity.

[0018] The subject-related data includes moving pictures, still pictures, sound, and text information. Text information includes statistical information of the subject, personal information, etc. In addition to subject-related data, user-related information can be recorded in the trading card 100. The subject-related data is stored in a data storage unit 10 contained in the trading card 100. To prevent illegal copying, a copy protection scheme in hardware and software is implemented in the data storage unit 10 and applied to the subject-related data. The data storage unit 10 can be a semiconductor integrated circuit (IC), compact disc, videotape, etc. The semiconductor IC has a semiconductor memory and an input/output (I/O) controller. Still picture, sound, and text information require less memory capacity than moving picture information. However, the moving picture and still picture information can be recorded after being compressed.

[0019] The trading card 100 communicates with the recording and/or reproducing apparatus 200 using an electrical signal, an optical signal, or a radio signal. The recording and/or reproducing apparatus 200 reads subject-related data stored in the trading card 100. The read subject-related data is processed according to

manipulation commands from the user, and a processed result is displayed in a display unit 78, or through other types of display apparatuses (not shown). The recording and/or reproducing apparatus 200 can record subject-related data provided from other sources such as a computer in the trading card 100.

[0020] FIG. 2 illustrates an external appearance of the trading card 100, in accordance with an exemplary embodiment of the present invention. The trading card 100 includes a front side, on which a full-length photo 22 of a sports star is printed. A connection terminal (not shown) for exchanging an electrical signal with the recording and/or reproducing apparatus 200 can be installed in the backside of the trading card.

[0021] FIGS. 3A and 3B illustrate an exemplary embodiment of the trading card 100 in accordance with the present invention. The trading card 300 shown in FIG. 3A has a connectionless-type semiconductor IC 30 that does not need a connection terminal. The connectionless-type semiconductor IC 30 converts an electromotive force induced by the radio signal applied by the recording and/or reproducing apparatus 200 into power source.

[0022] More particularly, referring to FIG. 3A, a portion indicated by solid lines shows a housing 32. The trading card 300 includes the semiconductor IC 30 indicated by dotted lines inside the housing 32, which protects the semiconductor IC 30 from impact, dust, etc. The semiconductor IC 30 generally has a semiconductor memory, an input controller, an output controller, etc. The input controller controls recording subject-related data and user-related data in the semiconductor memory, while the output controller outputs subject-related data and user-related data stored in the semiconductor memory to the recording and/or reproducing apparatus 200. The semiconductor IC 30 transmits subject-related data, which is stored in the form of an optical or radio signal, to the recording and/or reproducing apparatus 200 of FIG. 1, or receives subject-related data from the recording and/or reproducing apparatus 200. The semiconductor IC 30 transmits subject-related data in the form

FOR OFFICIAL USE ONLY

of an optical or radio signal so that one trading card 300 can be reproduced simultaneously in a plurality of recording and/or reproducing apparatuses.

[0023] Generally, as shown in FIG. 2, the photo of a sports star is printed on the front side of the housing 32, while other personal information and statistical information are printed on its backside. The material for the housing 32 may include paper or plastic. If the material for the housing 32 is paper, a coating film is applied to strengthen the protection of the housing 32. The portion containing the semiconductor IC 30 can be processed so that the portion has a higher density than other parts. By using paper material for the housing 32, the trading card 300 can give an impression similar to existing trading cards.

[0024] FIG. 3B is a sectional view of the trading card shown in FIG. 3A. As shown in FIG. 3B, the housing 32 of the trading card protects the semiconductor IC 30 and is formed of an upper layer 32a and a bottom layer 32b. Each, the upper layer 32a and the bottom layer 32b has a rectangular or square shaped groove. Protection films 34a and 34b cover the upper side and bottom side of the housing 32 for protection. The protection films 34a and 34b are made, for instance, of a laminated film.

[0025] FIG. 4 illustrates an alternative embodiment of a trading card, in accordance with an exemplary embodiment of the present invention. The trading card 400 includes a connection-type semiconductor IC 40. The semiconductor IC 40 has a connection terminal 40a. The connection terminal 40a is provided for an electrical contact with the recording and/or reproducing apparatus 200 shown in FIG. 1. The power for the operation of the semiconductor IC 40 is provided through the connection terminal 40a.

[0026] FIGS. 5A and 5B illustrate an external view of the recording and/or reproducing apparatus, in accordance with an exemplary embodiment of the present invention. The apparatus shown in FIGS. 5A and 5B is a connectionless-type recording and/or reproducing apparatus for the connectionless-type trading card 300 shown in FIG. 3. Referring to FIG. 5A, the recording and/or reproducing apparatus

[0029] The decoder 70 decodes the subject-related data read from the trading card 300, for instance, moving picture information, compressed still image information, and compressed sound information. Because image information has a large amount of data, the image information may be compressed and then stored in the trading card 300. The compressed image information would be then sent to the recording and/or reproducing apparatus. The examples of the moving picture compression method includes MPEG, MPEG-2, MPEG-4 and MPEG 7, and the examples of the still picture compression method includes JPEG, BMP, etc. The decoder 70 decodes compressed moving picture information, compressed still picture information, and compressed sound information.

[0030] The controller 68 operates according to the command signal from the key controller 84. For instance, if the command signal is for reproducing, the controller 68 outputs a signal to the semiconductor IC 30 in the trading card 300 to transmit the subject-related data stored in the semiconductor IC 30 to the reproducing apparatus 600 via the transmission and reception unit 60. The subject-related data transmitted to the recording and/or reproducing apparatus 600 is stored in the RAM 62. The subject-related data stored in the RAM 62 is transmitted to the decoder 70. The image signal reproduced by the decoder 70 is transmitted to the display unit 78. The voice signal reproduced by the decoder 70 is output through the speaker 74 or the earphone connection jack 76. In addition, the controller 68 controls high-speed forward, rewind, and reproduction of text information.

[0031] If a command is for recording, the controller 68 commands the trading card 300 to record the subject-related data via the transmission and reception unit 60. Reception of the recording command is recognized through communication with the trading card 300. After receiving a signal from the trading card 300, the controller 68 controls an operation of transferring the subject-related data stored in the RAM 62 to the trading card 300. The subject-related data stored in the RAM 62 is transferred to the trading card 300 via the transmission and reception unit 60. The semiconductor IC 30 receives the recording command from the reproducing apparatus 600 and

Accordingly, at operation 806, by clicking on one of the icons, the desired recording and/or reproducing apparatus are selected in.

[0035] At operation 808, a main screen for interfacing the selected recording and/or reproducing apparatus is displayed on the computer. On the main screen, content files, such as moving pictures, still pictures, text information, or sound information stored in the trading card which is inserted into the selected recording and/or reproducing apparatus are displayed. At operation 810, a content file is selected and at operation 812 the content file is reproduced. At operation 814, a determination is made whether other content files are to be reproduced. If it is determined that other content files are to be reproduced, the process loops back to operation 810. Otherwise, the process proceeds to operation 816 where a determination is made whether to quit the application program. According to the selection, the process loops back to operation 804 or the execution of the application program is stopped.

[0036] FIG. 9 illustrates a process in which subject-related data is recorded and reproduced in the trading card 100. Subject-related data is recorded in the trading card 100 by an encoding apparatus 850. The subject-related data recorded in the trading card 100 is reproduced and displayed by either the recording and/or reproducing apparatus 600 or 700 of FIG. 6 or FIG. 7 or by a display device 200.

[0037] FIG. 10 illustrates an external appearance of the encoding apparatus 850 shown in FIG. 9. The encoding apparatus 850 includes a monitor 902, a slot 904, a keyboard 906, and a speaker 908. The trading card 100 is inserted into the slot 904. A person who writes information controls information recording into the trading card 100 through the keyboard 906 and the monitor 902.

[0038] FIG. 11 illustrates a process in which subject-related data is recorded in a trading card 100. Subject-related data is downloaded from a web site 1102 to a personal computer 1104. The subject-related data downloaded in the personal computer 1104 is provided to the encoding apparatus 850. The encoding apparatus 850 records information in the trading card 100. Subject-related data recorded in

the trading card 100 includes moving picture information, still picture information, sound information, and text information. Sound can be moving picture-accompanying sound, or the voice of the subject or the voice of the user having. Text information is information related to the subject. For example, if the subject of the trading card is a sports star, then statistical information, personal information, etc. of the sports subject may be recorded.

[0039] Moving picture information stored in the trading card 100 can have a sequence. Specifically, the trading card has a serial number as identification, and the moving pictures stored in trading cards having neighboring serial numbers have a sequence. In this case, the collection value of the trading card can be enhanced.

[0040] FIG. 12 illustrates an alternative embodiment of the trading card according to the present invention. FIG. 13 illustrates a process in which the trading cards shown in FIG. 12 are reproduced. Each of the trading cards 1200 shown in FIG. 13 further has an identification means 128. Referring to FIG. 12, a housing 122 supports an IC 120, a pin 120A, and identification 128, and the identification 128 may be formed by printing or etching. The identification 128 includes the serial number, and trading cards having neighboring serial numbers store moving pictures in a sequence.

[0041] Referring to FIG. 13, a magazine 1300 can load a plurality of trading cards. When reproducing moving pictures, the recording and/or reproducing apparatus 200 sequentially reproduces moving pictures stored in the trading cards 1200A through 1200E loaded in the magazine 1300.

[0042] The magazine 1300 removes the burden of exchanging trading cards one by one when trading cards are reproduced continuously. The magazine 1300 process the subject-related data from the loaded trading cards 1200A through 1200E, and transmit the subject-related data sequentially to the recording and/or reproducing apparatus 200. The reproduced signal by the recording and/or reproducing apparatus according to the present invention can be provided to a TV, a computer, a video recorder, a camcorder, and other display units.

recording and/or reproducing apparatus 200 can be implemented that the subject greets the user, saying "Hi, John. This is Michael." This conversation can be implemented by a text, or by a voice synthesizing. Parameters required for voice synthesizing are extracted from the subject's sound information recorded in the trading card.

[0047] FIG. 16 is a flowchart showing a communication realizing method, in accordance with an exemplary embodiment to the present invention. At operation 1602, user-related information is input. The user-related information can be a name, a date of user's birth, etc. User-related information is recorded in the encoding apparatus 850 installed in a shop for trading cards 100. At operation 1604, the contents of a message are built using the user-related information. For example, if the user's name is John Young, greeting sentences from the subject to the user, saying "Hi, John. This is Michael." May be created. The sentences are created as follows: a sentence having an empty space for the user's name is prepared, the user inputs his name, and the input name is written in the empty space. By doing so, a greeting from the subject to the user is prepared.

[0048] At operation 1606, the message contents are recorded in the trading card 100. At operation 1608, the recording and/or reproducing apparatus 200 checks whether or not the message contents exist for reproducing in the trading card 100, and if the contents exist, the contents are output on a text screen or as a voice. When the contents are output as a voice, parameters required for synthesizing the voice are extracted from the subject's voice signal stored in the trading card 100, and applied to the built conversation contents to synthesize a voice.

[0049] Though the embodiment of the present invention is described with a sport star as the subject of the trading card, the subject of the trading card can be a musician, friends, pets, and other things. For example, the contents of the trading card according to the present invention can be extended to include cartoon characters or other interesting characters. As described above, the trading card

according to the present invention has a semiconductor IC for storing moving pictures and providing more subject-related data than the existing trading cards.

[0050] While the present invention has been particularly shown and described with reference to the preferred embodiment thereof, it will be understood by those skilled in the art that various changes in form and details may be effected therein without departing from the spirit and scope of the invention as defined by the appended claims.

FIG. 5A